





MSTM

ISO 9001:2015 Certified

TOOL HOLDERS

TURNING | PARTING & GROOVING




www.mstm.co.in

TURNING TOOLHOLDERS

S-SYSTEM EXTERNAL




SCLCR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	B	HF/H	LF	WF	OHX					
SCLCR/L 0808H 06	✓	✓	08	08	100	10	20	CC.. 0602..	-	-	M2,5X5	T8
SCLCR/L 1010H 06	✓	✓	10	10	100	12	20	CC.. 0602..	-	-	M2,5X5	T8
SCLCR/L 1212H 06	✓	✓	12	12	100	15	20	CC.. 0602..	-	-	M2,5X5	T8
SCLCR/L 1616H 06	✓	✓	16	16	100	20	25	CC.. 0602..	-	-	M2,5X5	T8
SCLCR/L 1212H 09	✓	✓	12	12	100	15	20	CC.. 09T3..	-	-	M3,5X8	T15
SCLCR/L 1616H 09	✓	✓	16	16	100	20	25	CC.. 09T3..	-	-	M3,5X8	T15
SCLCR/L 2020K 09	✓	✓	20	20	125	25	35	CC.. 09T3..	-	-	M3,5X8	T15
SCLCR/L 2525M 09	✓	✓	25	25	150	32	35	CC.. 09T3..	-	-	M3,5X8	T15
SCLCR/L 1616H 12	✓	✓	16	16	100	20	25	CC.. 1204..	CC..12	M6X0,75X11X4	M4X16 WLTR	T15
SCLCR/L 2020K 12	✓	✓	20	20	125	25	35	CC.. 1204..	CC..12	M6X0,75X11X4	M4X16 WLTR	T15
SCLCR/L 2525M 12	✓	✓	25	25	150	32	35	CC.. 1204..	CC..12	M6X0,75X11X4	M4X16 WLTR	T15
SCLCR/L 3232P 12	✓	✓	32	32	170	40	40	CC.. 1204..	CC..12	M6X0,75X11X4	M4X16 WLTR	T15

SDJCR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	B	HF/H	LF	WF	OHX					
SDJCR/L 0808H 07	✓	✓	08	08	100	10	16	DC.. 0702..	-	-	M2,5X7	T08
SDJCR/L 1010H 07	✓	✓	10	10	100	12	16	DC.. 0702..	-	-	M2,5X7	T08
SDJCR/L 1212H 07	✓	✓	12	12	100	16	20	DC.. 0702..	-	-	M2,5X7	T08
SDJCR/L 1616H 07	✓	✓	16	16	100	20	25	DC.. 0702..	-	-	M2,5X7	T08
SDJCR/L 1616H 11	✓	✓	16	16	100	20	25	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15
SDJCR/L 2020K 11	✓	✓	20	20	125	25	35	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15
SDJCR/L 2525M 11	✓	✓	25	25	150	32	40	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15
SDJCR/L 3232P 11	✓	✓	32	32	170	40	40	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15

TURNING TOOLHOLDERS

S-SYSTEM EXTERNAL




STJCR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	B	HF/H	LF	WF	OHX					
STJCR/L 1212H 11	✓	✓	12	12	100	16	25	TC.. 11..	-	-	M2,5	T08
STJCR/L 1616H 11	✓	✓	16	16	100	20	25	TC.. 11..	-	-	M2,5	T08
STJCR/L 1616H 16	✓	✓	16	16	100	20	25	TC.. 16T3..	-	-	M3.5X11	T15
STJCR/L 2020K 16	✓	✓	20	20	125	25	35	TC.. 16T3..	TC..016	M5XM3.5	M3.5X14	T15
STJCR/L 2525M 16	✓	✓	25	25	150	32	40	TC.. 16T3..	TC..016	M5XM3.5	M3.5X14	T15

SVJBR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	B	HF/H	LF	WF	OHX					
SVJBR/L 1212H 11	✓	✓	12	12	100	20	20	VB.. 1103..	-	-	M2,5X7	T08
SVJBR/L 1212K 11	✓	✓	12	12	125	20	20	VB.. 1103..	-	-	M2,5X7	T08
SVJBR/L 1616H 11	✓	✓	16	16	100	20	25	VB.. 1103..	-	-	M2,5X7	T08
SVJBR/L 2020K 11	✓	✓	20	20	125	25	35	VB.. 1103..	-	-	M2,5X7	T08
SVJBR/L 2525M 11	✓	✓	25	25	150	32	40	VB.. 1103..	-	-	M2,5X7	T08
SVJBR/L 1616H 16	✓	✓	16	16	100	20	25	VB.. 1604..	-	-	M3,5X11	T15
SVJBR/L 2020K 16	✓	✓	20	20	125	25	35	VB.. 1604..	VB..016	M5X0.5XM3.5	M3,5X14	T15
SVJBR/L 2525M 16	✓	✓	25	25	150	32	40	VB.. 1604..	VB..016	M5X0.5XM3.5	M3,5X14	T15
SVJBR/L 3232P 16	✓	✓	32	32	170	40	40	VB.. 1604..	VB..016	M5X0.5XM3.5	M3,5X14	T15


S-SYSTEM EXTERNAL TURNING TOOLHOLDERS

TURNING TOOLHOLDERS

S-SYSTEM EXTERNAL



SVVBN




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	B	HF/H	LF	WF	OHX					
SVVBN 1212H 11	✓	✓	12	12	100	6	20		-	-	M2,5X7	T08
SVVBN 1616H 11	✓	✓	16	16	100	8	25		-	-	M2,5X7	T08
SVVBN 2020K 11	✓	✓	20	20	125	10	35		-	-	M2,5X7	T08
SVVBN 1616H 16	✓	✓	16	16	100	8	25		-	-	M3,5X11	T15
SVVBN 2020K 16	✓	✓	20	20	125	10	35		VB..016	M5X0.5XM3.5	M3,5X14	T15
SVVBN 2525M 16	✓	✓	25	25	150	12,5	40		VB..016	M5X0.5XM3.5	M3,5X14	T15
SVVBN 3232P 16	✓	✓	32	32	170	16	40		VB..016	M5X0.5XM3.5	M3,5X14	T15

TURNING TOOLHOLDERS

T-SYSTEM EXTERNAL




TCKNR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TCKNR/L 2525M 12	✓	✓	25	25	150	32	35	CN.. 1204..	CN..012	M4X10 A2,5	T120105	M6X27	A3
TCKNR/L 2525M 16	✓	✓	25	25	150	32	35	CN.. 1606..	CN..016	M5X10	T160105	M6X27	A3
TCKNR/L 3232P 16	✓	✓	32	32	170	40	40	CN.. 1606..	CN..016	M5X10	T160105	M6X27	A3

TCLNR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TCLNR/L 1616H 12	✓	✓	16	16	100	25	35	CN.. 1204..	CN..012	M4X10 A2,5	T120105	M6X27	A3
TCLNR/L 2020K 12	✓	✓	20	20	125	25	35	CN.. 1204..	CN..012	M4X10 A2,5	T120105	M6X27	A3
TCLNR/L 2525M 12	✓	✓	25	25	150	32	40	CN.. 1204..	CN..012	M4X10 A2,5	T120105	M6X27	A3
TCLNR/L 3232P 12	✓	✓	32	32	170	40	40	CN.. 1204..	CN..012	M4X10 A2,5	T120105	M6X27	A3
TCLNR/L 2525M 16	✓	✓	25	25	150	32	40	CN.. 1606..	CN..016	M5X10	T160105	M6X27	A3
TCLNR/L 3232P 16	✓	✓	32	32	170	40	40	CN.. 1606..	CN..016	M5X10	T160105	M6X27	A3
TCLNR/L 4040R 16	✓	✓	40	40	200	50	45	CN.. 1606..	CN..016	M5X10	T160105	M6X27	A3
TCLNR/L 3232P 19	✓	✓	32	32	170	40	40	CN.. 1906..	CN..019	M5X10	T190105	M8X25	A5
TCLNR/L 4040R 19	✓	✓	40	40	200	50	45	CN.. 1906..	CN..019	M5X10	T190105	M8X25	A5

TURNING TOOLHOLDERS

T-SYSTEM EXTERNAL




TDJNR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TDJNR/L 1616K 11	✓	✓	16	16	125	21	30	DN.. 1104..	DN..011	M4X11 T15	T110105	M5X23	A3
TDJNR/L 2020K 11	✓	✓	20	20	125	25	35	DN.. 1104..	DN..011	M4X11 T15	T110105	M5X23	A3
TDJNR/L 2525M 11	✓	✓	25	25	150	32	40	DN.. 1104..	DN..011	M4X11 T15	T110105	M5X23	A3
TDJNR/L 1616K 15	✓	✓	16	16	125	21	30	DN.. 1506..	DN..015	M4X10 A2,5	T110105	M6X27	A3
TDJNR/L 2020K 15	✓	✓	20	20	125	25	35	DN.. 1506..	DN..015	M4X10 A2,5	T110105	M6X27	A3
TDJNR/L 2525M 15	✓	✓	25	25	150	32	40	DN.. 1506..	DN..015	M4X10 A2,5	T110105	M6X27	A3
TDJNR/L 3232P 15	✓	✓	32	32	170	40	40	DN.. 1506..	DN..015	M4X10 A2,5	T110105	M6X27	A3
TDJNR/L 4040R 15	✓	✓	40	40	200	50	45	DN.. 1506..	DN..015	M4X10 A2,5	T110105	M6X27	A3

TSKNR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TSKNR/L 2020K 12	✓	✓	20	20	125	25	35	SN.. 1204	SN..012	M4X10 A2,5	T120105	M6X27	A3
TSKNR/L 2525M 12	✓	✓	25	25	150	32	40	SN.. 1204	SN..012	M4X10 A2,5	T120105	M6X27	A3
TSKNR/L 3232P 15	✓	✓	32	32	170	40	40	SN.. 1506	SN..015	M5X10	T160105	M6X27	A3
TSKNR/L 4040R 19	✓	✓	40	40	200	50	45	SN.. 1906	SN..019	M5X10	T160105	M8X25	A5

TURNING TOOLHOLDERS

T-SYSTEM EXTERNAL




TTGNR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TTGNR/L 2020K 16	✓	✓	20	20	125	25	35	TN.. 1604	TN..016(H)	M4X10 A2,5	T160105	M5X23	A3
TTGNR/L 2525M 16	✓	✓	25	25	150	32	40	TN.. 1604	TN..016(H)	M4X10 A2,5	T160105	M5X23	A3
TTGNR/L 2020K 22	✓	✓	20	20	125	25	40	TN.. 2204	TN..022(H)	M4X10 A2,5	T220105	M6X27	A3
TTGNR/L 2525M 22	✓	✓	25	25	150	32	40	TN.. 2204	TN..022(H)	M4X10 A2,5	T220105	M6X27	A3
TTGNR/L 3232P 22	✓	✓	32	32	170	40	40	TN.. 2204	TN..022(H)	M4X10 A2,5	T220105	M6X27	A3
TTGNR/L 4040R 22	✓	✓	40	40	200	50	45	TN.. 2204	TN..022(H)	M4X10 A2,5	T220105	M6X27	A3

TTJNR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TTJNR/L 1616K 16	✓	✓	16	16	125	21	30	TN.. 1604	TN..016(H)	M4X10 A2,5	T110105	M5X23	A3
TTJNR/L 2020K 16	✓	✓	20	20	125	25	35	TN.. 1604	TN..016(H)	M4X10 A2,5	T110105	M5X23	A3
TTJNR/L 2525M 16	✓	✓	25	25	150	32	40	TN.. 1604	TN..016(H)	M4X10 A2,5	T110105	M5X23	A3
TTJNR/L 2020K 22	✓	✓	20	20	125	25	35	TN.. 2204	TN..022(H)	M4X10 A2,5	T150105	M6X27	A3
TTJNR/L 2525M 22	✓	✓	25	25	150	32	40	TN.. 2204	TN..022(H)	M4X10 A2,5	T150105	M6X27	A3
TTJNR/L 3232P 22	✓	✓	32	32	170	40	40	TN.. 2204	TN..022(H)	M4X10 A2,5	T150105	M6X27	A3
TTJNR/L 4040R 22	✓	✓	40	40	200	50	45	TN.. 2204	TN..022(H)	M4X10 A2,5	T150105	M6X27	A3

TURNING TOOLHOLDERS

T-SYSTEM EXTERNAL




TVJNR/L



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TVJNR/L 1616K 16	✓	✓	16	16	125	25	35	VN.. 1604	VN..016	M4X11 T15	T160105	M6X27	A3
TVJNR/L 2020K 16	✓	✓	20	20	125	25	35	VN.. 1604	VN..016	M4X11 T15	T160105	M6X27	A3
TVJNR/L 2525M 16	✓	✓	25	25	150	32	40	VN.. 1604	VN..016	M4X11 T15	T160105	M6X27	A3
TVJNR/L 3232P 16	✓	✓	32	32	170	40	40	VN.. 1604	VN..016	M4X11 T15	T160105	M6X27	A3
TVJNR/L 4040R 16	✓	✓	40	40	200	50	45	VN.. 1604	VN..016	M4X11 T15	T160105	M6X27	A3

TWLNR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	B	HF/H	LF	WF	OHX						
TWLNR/L 1616K 06	✓	✓	16	16	125	21	30	WN.. 0604..	-	-	T060105	M5X15	A3
TWLNR/L 2020K 06	✓	✓	20	20	125	25	35	WN.. 0604..	-	-	T060105	M5X15	A3
TWLNR/L 2525M 06	✓	✓	25	25	150	32	40	WN.. 0604..	-	-	T060105	M5X15	A3
TWLNR/L 2020K 08	✓	✓	20	20	125	25	35	WN.. 0804..	WN..08(H)	M4X10 A2,5	T080105	M6X27	A3
TWLNR/L 2525M 08	✓	✓	25	25	150	32	40	WN.. 0804..	WN..08(H)	M4X10 A2,5	T080105	M6X27	A3
TWLNR/L 3232P 08	✓	✓	32	32	170	40	40	WN.. 0804..	WN..08(H)	M4X10 A2,5	T080105	M6X27	A3
TWLNR/L 4040R 08	✓	✓	40	40	200	50	45	WN.. 0804..	WN..08(H)	M4X10 A2,5	T080105	M6X27	A3

TURNING TOOLHOLDERS

S-SYSTEM INTERNAL



SCLCR



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	DCON	DMIN	LF	WF	OHN					
S0810H-SCLCR 06	✓	✓	8	10	100	4,5	30	CC.. 0602..	-	-	M2,5X5	T08
S08H-SCLCR 06	✓	✓	8	11	100	6	25	CC.. 0602..	-	-	M2,5X5	T08
A08H-SCLCR 06	✓	✓	8	11	100	6	25	CC.. 0602..	-	-	M2,5X5	T08
S10K-SCLCR 06	✓	✓	10	13	125	7	25	CC.. 0602..	-	-	M2,5X5	T08
A10K-SCLCR 06	✓	✓	10	13	125	7	25	CC.. 0602..	-	-	M2,5X5	T08
S12M-SCLCR 06	✓	✓	12	16	150	9	30	CC.. 0602..	-	-	M2,5X5	T08
A12M-SCLCR 06	✓	✓	12	16	150	9	30	CC.. 0602..	-	-	M2,5X5	T08
S1213M-SCLCR 06	✓	✓	12	12,5	125	7	25	CC.. 0602..	-	-	M2,5X5	T08
S16Q-SCLCR 06	✓	✓	16	20	180	11	35	CC.. 0602..	-	-	M2,5X7	T08
A16Q-SCLCR 06	✓	✓	16	20	180	11	35	CC.. 0602..	-	-	M2,5X7	T08
S1616M-SCLCR 06	✓	✓	16	15,5	150	9	30	CC.. 0602..	-	-	M2,5X5	T08
S12M-SCLCR 09	✓	✓	12	16	150	9	30	CC.. 09T3..	-	-	M3.5X8	T15
A12M-SCLCR 09	✓	✓	12	16	150	9	30	CC.. 09T3..	-	-	M3.5X8	T15
S16Q-SCLCR 09	✓	✓	16	20	180	11	35	CC.. 09T3..	-	-	M3.5X8	T15
A16Q-SCLCR 09	✓	✓	16	20	180	11	35	CC.. 09T3..	-	-	M3.5X8	T15
S1616Q-SCLCR 09	✓	✓	16	15,5	150	9	30	CC.. 09T3..	-	-	M3.5X6	T15
S20R-SCLCR 09	✓	✓	20	25	200	13	40	CC.. 09T3..	-	-	M3.5X11	T15
A20R-SCLCR 09	✓	✓	20	25	200	13	40	CC.. 09T3..	-	-	M3.5X11	T15
S25S-SCLCR 09	✓	✓	25	32	250	17	50	CC.. 09T3..	-	-	M3.5X11	T15
S32T-SCLCR 09	✓	✓	32	40	300	23	60	CC.. 09T3..	-	-	M3.5X15	T15
S25S-SCLCR 12	✓	✓	25	32	250	17	50	CC.. 1204..	CC..012	M6X0,75X11X4	M4X16 WLTR	T15
A25S-SCLCR 12	✓	✓	25	32	250	17	50	CC.. 1204..	CC..012	M6X0,75X11X4	M4X16 WLTR	T15
S32T-SCLCR 12	✓	✓	32	40	300	23	60	CC.. 1204..	CC..012	M6X0,75X11X4	M4X16 WLTR	T15
S40V-SCLCR 12	✓	✓	40	50	400	27	70	CC.. 1204..	CC..012	M6X0,75X11X4	M4X16 WLTR	T15


S-SYSTEM EXTERNAL TURNING TOOLHOLDERS

TURNING TOOLHOLDERS

S-SYSTEM INTERNAL



SDQCR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	DCON	DMIN	LF	WF	OHN					
S10K-SDQCR 07	✓	✓	10	13	125	7,5	25	DC.. 0702..	-	-	M2,5X5	T08
A10K-SDQCR 07	✓	✓	10	12	125	7,5	25	DC.. 0702..	-	-	M2,5X5	T08
S12M-SDQCR 07	✓	✓	12	16	150	9	30	DC.. 0702..	-	-	M2,5X7	T08
A12M-SDQCR 07	✓	✓	12	16	150	9	30	DC.. 0702..	-	-	M2,5X7	T08
S16Q-SDQCR 07	✓	✓	16	20	180	11	35	DC.. 0702..	-	-	M2,5X7	T08
S20R-SDQCR 07	✓	✓	20	25	200	13	40	DC.. 0702..	-	-	M2,5X7	T08
S25S-SDQCR 07	✓	✓	25	32	250	17,5	50	DC.. 0702..	-	-	M2,5X7	T08
S16Q-SDQCR 11	✓	✓	16	20	180	11	35	DC.. 11T3..	-	-	M3.5X8	T15
A16Q-SDQCR 11	✓	✓	16	20	180	11	35	DC.. 11T3..	-	-	M3.5X8	T15
S20R-SDQCR 11	✓	✓	20	25	200	13	40	DC.. 11T3..	-	-	M3.5X8	T15
A20R-SDQCR 11	✓	✓	20	25	200	13	40	DC.. 11T3..	-	-	M3.5X8	T15
S25S-SDQCR 11	✓	✓	25	32	250	17,5	50	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3.5X14	T15
S32S-SDQCR 11	✓	✓	32	40	300	23	60	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3.5X14	T15

TURNING TOOLHOLDERS

S-SYSTEM INTERNAL



SDUCR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key
	R	L	DCON	DMIN	LF	WF	OHN					
S10K-SDUCR 07	✓	✓	10	13	125	7,5	25	DC.. 0702..	-	-	M2,5X5	T08
A10K-SDUCR 07	✓	✓	10	13	125	7,5	25	DC.. 0702..	-	-	M2,5X5	T08
S12M-SDUCR 07	✓	✓	12	16	150	9	30	DC.. 0702..	-	-	M2,5X5	T08
A12M-SDUCR 07	✓	✓	12	16	150	9	30	DC.. 0702..	-	-	M2,5X7	T08
S12K-SDUCR 07	✓	✓	12	15	125	8	25	DC.. 0702..	-	-	M2,5X7	T08
S16Q-SDUCR 07	✓	✓	16	20	180	11	35	DC.. 0702..	-	-	M2,5X7	T08
A16Q-SDUCR 07	✓	✓	16	20	180	11	35	DC.. 0702..	-	-	M2,5X7	T08
S20R-SDUCR 07	✓	✓	20	25	200	13	40	DC.. 0702..	-	-	M2,5X7	T08
S25S-SDUCR 07	✓	✓	25	32	250	17,5	50	DC.. 0702..	-	-	M2,5X7	T08
S16Q-SDUCR 11	✓	✓	16	20	180	11	35	DC.. 11T3..	-	-	M3,5X8	T15
S20R-SDUCR 11	✓	✓	20	25	200	13	40	DC.. 11T3..	-	-	M3,5X10	T15
A20R-SDUCR 11	✓	✓	20	25	200	13	40	DC.. 11T3..	-	-	M3,5X10	T15
S25S-SDUCR 11	✓	✓	25	32	250	17,5	50	DC.. 11T3..	-	-	M3,5X10	T15
A25S-SDUCR 11	✓	✓	25	32	250	17,5	50	DC.. 11T3..	-	-	M3,5X10	T15
S32T-SDUCR 11	✓	✓	32	40	300	23	60	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15
S40V-SDUCR 11	✓	✓	40	50	400	27	60	DC.. 11T3..	DC..011	M5X0.5XM3.5	M3,5X14	T15

TURNING TOOLHOLDERS

S-SYSTEM INTERNAL



STFCR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN					
S12M-STFCR 11	✓	✓	12	15,5	150	9	30		-	-	M2,5X6	T08
S16Q-STFCR 16	✓	✓	16	20	180	11	35		-	-	M3,5X8	T15
S20R-STFCR 16	✓	✓	20	25	200	13	40		TC..016	M5X0.5XM3.5	M3,5X11	T15
S25S-STFCR 16	✓	✓	25	32	250	17,5	50		TC..016	M5X0.5XM3.5	M3,5X11	T15
S32T-STFCR 16	✓	✓	32	40	300	23	60		TC..016	M5X0.5XM3.5	M3,5X11	T15

TURNING TOOLHOLDERS

M-SYSTEM INTERNAL




MTQNR



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S20R-MTQNR 16	✓	✓	20	25	200	13	40	TN.. 1604..	-	5X3.6X12,5	M160105	M5X15	A3
S25S-MTQNR 16	✓	✓	25	32	250	17	50	TN.. 1604..	TN..016(P)	5X3.6X15	M160105	M5X23	A3
S32T-MTQNR 16	✓	✓	32	40	300	22	60	TN.. 1604..	TN..016(P)	5X3.6X15	M160105	M5X23	A3
S40V-MTQNR 16	✓	✓	40	50	400	27	70	TN.. 1604..	TN..016(P)	5X3.6X15	M160105	M5X23	A3
S32T-MTQNR 22	✓	✓	32	40	300	22	60	TN.. 2204..	TN..022(P)	6X5X18	M220105	M6X27	A3
S40V-MTQNR 22	✓	✓	40	50	400	27	70	TN.. 2204..	TN..022(P)	6X5X18	M220105	M6X27	A3

MTUNR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S20R-MTUNR 16	✓	✓	20	25	200	13	40	TN.. 1604..	-	5X3.6X12,5	M160105	M5X15	A3
S25S-MTUNR 16	✓	✓	25	32	250	17	50	TN.. 1604..	TN..016(P)	5X3.6X12,5	M160105	M5X23	A3
S32T-MTUNR 16	✓	✓	32	40	300	22	60	TN.. 1604..	TN..016(P)	5X3.6X15	M160105	M5X23	A3
S40V-MTUNR 16	✓	✓	40	50	400	27	70	TN.. 1604..	TN..016(P)	5X3.6X15	M160105	M5X23	A3
S20R-MTQNR 16	✓	✓	32	40	300	22	60	TN.. 2204..	TN..022(P)	6X5X15	M220105	M6X27	A3
S40V-MTUNR 22	✓	✓	40	50	400	27	70	TN.. 2204..	TN..022(P)	6X5X15	M220105	M6X27	A3
S50W-MTUNR 22	✓	✓	50	63	450	35	75	TN.. 2204..	TN..022(P)	6X5X15	M220105	M6X27	A3
S60W-MTUNR 22	✓	✓	60	75	450	40	75	TN.. 2204..	TN..022(P)	6X5X15	M220105	M6X27	A3





TURNING TOOLHOLDERS

M-SYSTEM INTERNAL



MWLNR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S16Q-MWLNR 06	✓	✓	16	22	180	11	35	WN..0604..	-	5x3,6x15	M060105	M5X15	A3
S20R-MWLNR 06	✓	✓	20	25	200	13	40	WN..0604..	-	5x3,6x15	M060105	M5X15	A3
S25S-MWLNR 08	✓	✓	25	32	250	17	50	WN..0804..	TN..022(P)	6X5X15	M080105	M6X20	A3
S32T-MWLNR 08	✓	✓	32	40	300	22	60	WN..0804..	TN..022(P)	6X5X15	M080105	M6X27	A3
S40V-MWLNR 08	✓	✓	40	50	400	27	70	WN..0804..	TN..022(P)	6X5X15	M080105	M6X27	A3
S50W-MWLNR 08	✓	✓	50	63	450	35	75	WN..0804..	TN..022(P)	6X5X15	M080105	M6X27	A3
S60W-MWLNR 08	✓	✓	60	75	450	40	75	WN..0804..	TN..022(P)	6X5X15	M080105	M6X27	A3

TURNING TOOLHOLDERS

P-SYSTEM INTERNAL




PCLNR



ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Crowbar	Metal Sheet	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S25S-PCLNR 12	✓	✓	25	32	250	17	50	CN.. 1204..	CN..012	MPV M8 K	MPL 012	MPS 012	A3
S32T-PCLNR 12	✓	✓	32	40	300	22	60	CN.. 1204..	CN..012	MPV M8 K	MPL 012	MPS 012	A3
S40V-PCLNR 12	✓	✓	40	50	400	27	70	CN.. 1204..	CN..012	MPV M8 K	MPL 012	MPS 012	A3
S32T-PCLNR 16	✓	✓	32	40	300	22	60	CN.. 1606..	CN..16	MPV M8 K	MPL 016	MPS 016	A3
S40V-PCLNR 16	✓	✓	40	50	400	27	70	CN.. 1606..	CN..16	MPV M8 K	MPL 016	MPS 016	A3
S40V-PCLNR 19	✓	✓	40	50	400	27	70	CN.. 1906..	CN..019	MPV M8 K	MPL 019	MPS 019	A3
S50W-PCLNR 19	✓	✓	50	63	450	35	75	CN.. 1906..	CN..019	MPV M8 K	MPL 019	MPS 019	A3

PDUNR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Crowbar	Metal Sheet	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S25S-PDUNR 15	✓	✓	25	32	250	17	50	DN.. 1506..	DN..015	MPV M8 K	MPL 012	MPS 012	A3
S32T-PDUNR 15	✓	✓	32	40	300	22	60	DN.. 1506..	DN..015	MPV M8 K	MPL 012	MPS 012	A3
S40V-PDUNR 15	✓	✓	40	50	400	27	70	DN.. 1506..	DN..015	MPV M8 K	MPL 012	MPS 012	A3

TURNING TOOLHOLDERS

T-SYSTEM INTERNAL



TCLNR




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Clamp	Screw	Allen Key
	R	L	DCON	DMIN	LF	WF	OHN						
S25S-TCLNR 12	✓	✓	25	32	250	17	50	CN..1204..	CN..012	M4X10 A2.5	T120105	M6X20	A3
S32T-TCLNR 12	✓	✓	32	40	300	22	60	CN..1204..	CN..012	M4X10 A2.5	T120105	M6X27	A3
S40V-TCLNR 12	✓	✓	40	50	400	27	70	CN..1204..	CN..012	M4X10 A2.5	T120105	M6X27	A3
S60W-TCLNR 12	✓	✓	60	75	450	40	75	CN..1204..	CN..16	M5X8 A3	T160105	M6X27	A3
S32T-TCLNR 16	✓	✓	32	40	300	22	60	CN..1606..	CN..16	M5X8 A3	T160105	M6X27	A3
S40V-TCLNR 16	✓	✓	40	50	400	27	70	CN..1606..	CN..16	M5X8 A3	T160105	M6X27	A3
S50W-TCLNR 16	✓	✓	50	63	450	35	75	CN..1606..	CN..16	M5X8 A3	T160105	M6X27	A3
S40V-TCLNR 19	✓	✓	40	50	400	27	70	CN..1906..	CN..19	M5X8 A3	T190105	M8X27	A5
S50W-TCLNR 19	✓	✓	50	63	450	35	75	CN..1906..	CN..19	M5X8 A3	T190105	M8X27	A5

THREADING TOOLHOLDERS

S-SYSTEM EXTERNAL



SER/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key	Clamp	Screw
	R	L	B	HF/H	LF	WF	OHX							
SER/L 1212H 11	✓	✓	12	12	100	12	20	11 ER/L	-	-	M2,5X7	T08	-	-
SER/L 1616H 11	✓	✓	16	16	100	16	30	11 ER/L	-	-	M2,5X7	T08	-	-
SER/L 1212H 16	✓	✓	12	12	100	12	20	16 ER/L	ER/L..016	M5X0.5XM3.5	M3,5X14	T15	CK15	M3,5x9
SER/L 1616K 16	✓	✓	16	16	125	16	30	16 ER/L	ER/L..016	M5X0.5XM3.5	M3,5X14	T15	CK15	M4x12
SER/L 2020K 16	✓	✓	20	20	125	20	35	16 ER/L	ER/L..016	M5X0.5XM3.5	M3,5X14	T15	CK15	M4x12
SER/L 2525M 16	✓	✓	25	25	150	25	40	16 ER/L	ER/L..016	M5X0.5XM3.5	M3,5X14	T15	CK15	M4x12
SER/L 3232P 16	✓	✓	32	32	170	32	40	16 ER/L	ER/L..016	M5X0.5XM3.5	M3,5X14	T15	CK15	M4x12
SER/L 2525M 22	✓	✓	25	25	150	25	40	22 ER/L	ER/L..022	-	M4X17	T15	-	-
SER/L 3232P 22	✓	✓	32	32	170	32	40	22 ER/L	ER/L..022	-	M4X15	T15	-	-

THREADING TOOLHOLDERS

S-SYSTEM INTERNAL



SIR/L




ISO	Stock		Dimension (mm)					Insert	Shim	Screw	Screw	Torx Key	Clamp	Screw
	R	L	DCON	DMIN	LF	WF	OHN							
SIR/L 1013K 11	✓	✓	10	13	125	7,5	25	11 IR/ER	-	-	M2,5X6	T08	-	-
SIR/L 1215M 11	✓	✓	12	15	150	8,5	25	11 IR/ER	-	-	M2,5X6	T08	-	-
SIR/L 1613Q 11	✓	✓	16	13	180	7,5	40	11 IR/ER	-	-	M2,5X6	T08	-	-
SIR/L 1620Q 11	✓	✓	16	20	180	11	30	11 IR/ER	-	-	M2,5X6	T08	-	-
SIR/L 1620Q 16	✓	✓	16	20	180	11	30	16 IR/ER	-	-	M3,5X8	T15	-	-
SIR/L 2025R 16	✓	✓	20	25	200	13	35	16 IR/ER	-	-	M3,5X8	T15	-	-
SIR/L 2532S 16	✓	✓	25	32	250	17	35	16 IR/ER	ER 016	M5X0.5XM3.5	M3.5X11	T15	CK 15	M4x12
SIR/L 3240T 16	✓	✓	32	40	300	21	40	16 IR/ER	ER 016	M5X0.5XM3.5	M3.5X14	T15	CK 15	M4x12
SIR/L 4050V 16	✓	✓	40	50	400	26	50	16 IR/ER	ER 016	M5X0.5XM3.5	M3.5X14	T15	CK 15	M4x12
SIR/L 2532S 22	✓	✓	25	32	250	17	35	22 IR/ER	IR/ER 022	-	M4X12	T20	CK 15	M4x12
SIR/L 3240T 22	✓	✓	32	40	300	21	40	22 IR/ER	IR/ER 022	-	M4X17	T20	CK 15	M4x12
SIR/L 4050V 22	✓	✓	40	50	400	26	50	22 IR/ER	IR/ER 022	-	M4X17	T20	CK 15	M4x12
SIR/L 5063W 22	✓	✓	50	63	450	35	70	22 IR/ER	IR/ER 022	-	M4X17	T20	CK 15	M4x12
SIR/L 6073W 22	✓	✓	60	73	450	40	70	22 IR/ER	IR/ER 022	-	M4X17	T20	CK 15	M4x12
SIR/L 1617Q 16	✓	✓	16	17	180	8	45	16 IR/ER	-	-	M3,5X8	T15	-	-
SIR/L 2025R 22	✓	✓	20	25	200	13	35	22 IR/ER	IR/ER 022	-	M4X12	T20	CK 15	M4x12
SIR/L 2013R 16	✓	✓	20	13	200	7,5	35	16 IR/ER	-	-	M3,5X8	T15	-	-

S-SYSTEM INTERNAL THREADING TOOL HOLDERS

GROOVING HOLDERS

S-SYSTEM INTERNAL

MSGER/L




ISO	Stock		Dimension (mm)										Insert	Screw	Allen Key
	R	L	Dmax	CDX	W	H	B	FS	LF	OHX	HF	H1			
MSGER/L 1212-2	✓	✓	62	16	2	12	12	11	90	31	12	24	MSMN200	M5X16	A4
MSGER/L 1616-2	✓	✓	62	17	2	16	16	15	125	41	16	28,5		M8X27	
MSGER/L 2020-2	✓	✓	62	17	2	20	20	19	125	41	20	28,5			
MSGER/L 2525-2	✓	✓	62	18	2	25	25	24	150	45	25	35			
MSGER/L 3232-2	✓		62	21	2	32	32	31	170	45	32	42			
MSGER/L 1212-3	✓	✓	62	16	3	12	12	10,5	90	31	12	24	MSMN300	M5X16	
MSGER/L 1616-3	✓	✓	62	18	3	16	16	14,5	125	41	16	28,5			
MSGER/L 2020-3	✓	✓	62	18	3	20	20	18,5	125	41	20	28,5			
MSGER/L 2525-3	✓	✓	62	21	3	25	25	23,5	150	45	25	35			
MSGER/L 3232-3	✓		62	23	3	32	32	30,5	170	45	32	42			
MSGER/L 1616-4	✓	✓	62	18	4	16	16	14	125	41	16	28,5	MSMN400	M8X27	
MSGER/L 2020-4	✓	✓	62	18	4	20	20	18	125	41	20	28,5			
MSGER/L 2525-4	✓	✓	62	23	4	25	25	23	150	45	25	35			
MSGER/L 3232-4	✓		62	25	4	32	32	30	170	45	32	42			
MSGER/L 2020-5	✓	✓	62	21	5	20	20	17,5	125	41	20	28,5	MSMN500		
MSGER/L 2525-5	✓	✓	62	23	5	25	25	22,5	150	45	25	35			
MSGER/L 3232-5	✓	✓	62	25	5	32	32	29,5	170	45	32	42	MSMN600		
MSGER/L 2525-6	✓	✓	62	23	6	25	25	22	150	45	25	35			
MSGER/L 3232-6	✓	✓	62	25	6	32	32	29	170	45	32	42			
MSGER/L 1616-1.5	✓	✓	62	17	1,5	16	16	14,5	125	41	16	28,5	MSJN150	M5X16	
MSGER/L 2020-1.5	✓	✓	62	17	1,5	20	20	18,5	125	41	20	28,5			
MSGER/L 2525-3	✓	✓	62	30	3	25	25	22	150	45	25	35	MSJN300	M8X27	
MSGER/L 2525-3	✓	✓	62	40	3	25	25	23,5	150	45	25	35	MSJN300		
MSGER/L 2525-4	✓	✓	62	40	4	25	25	23	150	45	25	35	MSJN400		
MSGER/L 2525-4	✓	✓	62	30	4	25	25	23	150	45	25	35	MSJN400		
MSGER/L 2525-5	✓	✓	62	40	5	25	25	22,5	150	45	25	35	MSJN500		

GROOVING HOLDERS

S-SYSTEM INTERNAL

MSTER/L



ISO	Stock		Dimension (mm)										Insert	Screw	Allen Key	
	R	L	Dmax	CDX	W	H	B	FS	LF	OHX	HF	H1				
MSTER 1212-2	✓		62	16	2	12	12	11	90	31	12	24	MSTG2	M5X16	A4	
MSTER/L 1616-2	✓	✓	62	18	2	16	16	15	125	41	16	28,5		M8X27		
MSTER/L 2020-2	✓	✓	62	18	2	20	20	19	125	41	20	28,5		M8X27		
MSTER/L 2525-2	✓	✓	62	18	2	25	25	24	150	45	25	35	MSTG3	M8X27		
MSTER 1212-3	✓		62	16	3	12	12	10,5	90	31	12	24				M5X16
MSTER/L 1616-3	✓	✓	62	18	3	16	16	14,5	125	41	16	28,5				M8X27
MSTER/L 2020-3	✓	✓	62	18	3	20	20	18,5	125	41	20	28,5	MSTG4	M8X27		
MSTER/L 2525-3	✓	✓	62	21	3	25	25	23,5	150	45	25	35				M8X27
MSTER 3232-3	✓		62	23	3	32	32	30,5	170	45	32	42				M8X27
MSTER/L 1616-4	✓	✓	62	18	4	16	16	14	125	41	16	28,5	MSTG4	M8X27		
MSTER/L 2020-4	✓	✓	62	18	4	20	20	18	125	41	20	28,5				M8X27
MSTER/L 2525-4	✓	✓	62	21	4	25	25	23	150	45	25	35				M8X27
MSTER 3232-4	✓		62	23	4	32	32	30	170	45	32	42	MSTG5	M8X27		
MSTER/L 2525-5	✓	✓	62	21	5	25	25	22,5	150	45	25	35			M8X27	



Carbide Tool Reconditioning

Our contribution for sustainable living in partnership with our customers

We enable our customers to support their environmental programs



Carbide Recycling

“Preserve, Protect, and Nurture Nature!”

For Further Enquiries

M.S. Tools & Manufacturing Company Pvt. Ltd.

Manufacturing Facility:


Chennai, Bengaluru

Sales:

PAN India



Manufacturing
Sales



scan the QR
for more info..

+91 93448 07872

info@mstm.co.in

www.mstm.co.in